



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:) PATENT
Michael WIESINGER et al.) GROUP:
Serial No.: 10/804,234) EXAMINER:
Filed: March 19, 2004) CUSTOMER NO.: 25269
METHOD AND DEVICE FOR) CONFIRMATION NO.: 6080
CONTINUOUS MEASURING OF
DYNAMIC FLUID CONSUMPTION,
INCLUDING PRESSURE REGULATOR

* * * * *

SUBMISSION OF DECLARATION AND FILING FEES

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

June 17, 2004

Sir:

Referring to the Notice to File Missing Parts, issued June 1, 2004
(copy attached), the inventors herewith submit their executed
Declaration.


The government filing fees (\$900.00) should be charged to Deposit
Account No. 04-2223.

Respectfully submitted,

DYKEMA GOSSETT PLLC

By:

Richard H. Tushin
Registration No. 27,297
Franklin Square, Third Floor West
1300 I Street, N.W.
Washington, DC 20005-3353
(202) 906-8600



66374-151-7

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:) PATENT
)
Michael WIESINGER et al.) GROUP:
)
Serial No.: 10/804,234) EXAMINER:
)
Filed: March 19, 2004) CUSTOMER NO.: 25269
)
METHOD AND DEVICE FOR) CONFIRMATION NO.: 6080
CONTINUOUS MEASURING OF
DYNAMIC FLUID CONSUMPTION,
INCLUDING PRESSURE REGULATOR

* * * * *

SUBMISSION OF DECLARATION AND FILING FEES

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

June 17, 2004

Sir:

Referring to the Notice to File Missing Parts, issued June 1, 2004
(copy attached), the inventors herewith submit their executed
Declaration.

The government filing fees (\$900.00) should be charged to Deposit
Account No. 04-2223.

Respectfully submitted,

DYKEMA GOSSETT PLLC

By:

Richard H. Tushin
Registration No. 27,297
Franklin Square, Third Floor West
1300 I Street, N.W.
Washington, DC 20005-3353
(202) 906-8600